ELSEVIER

Journal of Alloys and Compounds 283 (1999) 331

Journal of ALLOYS AND COMPOUNDS

Author Index of Volume 283

Abe, E., 169
Adachi, H., 128
Adam, J.L., 59
Akselrud, L.G., 106
Alqasmi, R.A., 173
André, G., 41
Arima, M., 102
Ayadi, M., 66

Bakker, H., 21
Baran, M., 66
Bednarczyk, E., 16
Behr, G., 26, 265
Belger, A., 26
Bell, T., 231
Belyavina, N.M., 162
Benjelloun, J., 66
Binnemans, K., 59
Boily, S., 304
Bormann, R., 151, 213
Bottino, C., 260
Bouchard, D., 311
Boulet, P., 41, 49
Bourdon, X., 122
Boutbila, My.A., 88
Brück, E., 83
Buscaglia, V., 241, 260
Buschow, K.H.J., 83
Bzowski, A., 5

Cajipe, V.B., 122
Castanet, R., 208
Chacon, C., 320
Chastel, R., 208
Chen, X.L., 203

de Boer, F.R., 83
Dong, H., 231

Ege, M., 34, 71
El Aatmani, M., 88
Estévez-Rams, E., 289, 327

Fidler, J., 289, 327
Fischer, J.E., 122
Fjellstedt, J., 192
Fukuda, T., 91, 133

Gebel, B., 296
Görller-Walrand, C., 59
Goudy, A.J., 146
Graw, G., 26
Griveau, J.C., 16
Grössinger, R., 289, 327
Gutfleisch, O., 296
Güther, V., 304

Harris, I.R., 282, 296
Havela, L., 16
Higashi, I., 133
Hirata, M., 128
Hirscher, M., 34, 78
Horiuchi, H., 91, 133
Hu, S.J., 83
Huang, F., 203
Huo, G.Y., 203
Huot, J., 304

Ikeda, N., 102
Isnard, O., 320
Iwasaki, H., 91
Izumi, M., 95

Jakubowicz, J., 307
Jarfors, A.E.W., 192
Javorský, P., 16
Jurczyk, M., 307

Kaczmarek, W.A., 117
Kakihana, M., 102
Karlhuber, S., 198
Kępiński, L., 139
Kianvash, A., 282
Kirkaldy, J.S., 311
Kishi, H., 91
Klaasse, J.C.P., 83
Klassen, T., 151, 213
Kostikas, A., 49
Kou, X.C., 83
Krishnan, R., 66
Kronmüller, H., 34, 71, 78
Kubis, M., 296
Kubota, S.-i., 95
Kudou, K., 133
Kurihara, M., 128

Lassri, H., 66
Lbibb, R., 208
Lengauer, W., 241
Li, X.Y., 231
Liang, J.K., 203
Lin, C., 225
Liu, B.X., 225
Liu, J.B., 225
Liu, Z.Y., 83

Maisonneuve, V., 122
Malaman, B., 54
Markiv, V.Ya., 162
Marín, G., 1
Martinelli, A., 241, 260
Mattern, N., 265
Mayr, W., 241
Mikula, A., 198
Miller, G.J., 106
Ming, L., 146
Miraglia, S., 320
Modder, I.W., 21
Molina Molina, I., 1
Mottram, R.S., 282
Mukoyama, T., 128
Müller, K.-H., 296
Musenich, R., 241, 260

Naftel, S.J., 5
Nakamatsu, H., 128
Nikitin, S.A., 45
Noël, H., 41, 49
Novo, S., 289

Oelerich, W., 151, 213
Okada, S., 133
Oku, M., 91, 133
Omri, M., 66
Onoe, J., 128
Oukris, H., 66

Paasch, S., 173
Pastushenkov, Yu.G., 45
Paufler, P., 26
Payen, C., 122
Pecharsky, V.K., 106
Pentón, A., 289, 327
Potel, M., 41

Qiao, Z.Y., 203

Rao, G.H., 203
Rasneur, J., 88
Rebizant, J., 16
Rincón, C., 1
Rogl, P., 41, 49
Ron, M., 178

Sanchez, J.P., 16
Sánchez Pérez, G., 1
Sasaki, T., 91
Schäfer, W., 12
Schaller, H.-J., 173
Schmidt, M., 117
Schmitt, D., 12
Schultz, L., 296
Schulz, R., 304
Sekine, R., 128
Semitelou, J.P., 12
Sham, T.K., 5
Shimada, M., 95
Shishido, T., 91, 133
Simopoulos, A., 49
Singh, A., 169
Singh, R.N., 198
Siouris, J., 12
Skokov, K.P., 45
Sommer, F., 198
Speka, M.V., 162
Sugitani, Y., 102
Svendsen, L., 192
Szlaferek, A., 307

Takakura, H., 169
Telegina, I.V., 45
Téllez-Blanco, J.C., 289, 327
Tereshina, I.S., 45
Tsai, A.P., 169
Turtelli, R.S., 327

Van Deun, R., 59
Venturini, G., 54
Vernière, A., 54
Vulliet, P., 16
Vybornov, M., 49

Wasim, S.M., 1
Wastin, F., 16
Wehner, B., 26
Wei, X.Z., 83
Welter, R., 54
Wendrock, H., 265
Wetzig, K., 265
Winzek, B., 78
Wolcyrz, M., 139

Yakinthos, J.K., 12
Yamane, H., 95
Yamauchi, H., 133
Yang, G.W., 225
Yoshimura, M., 102

Zahn, G., 26
Zavaliy, I.Yu., 106
Zeng, D.C., 83
Zeng, K., 151, 213
Zinkevitch, M., 265
Zubenko, V.V., 45

Elsevier Science S.A.
PII: S0925-8388(98)01039-1

ELSEVIER

Journal of Alloys and Compounds 283 (1999) 333–337

Journal of ALLOYS AND COMPOUNDS

Subject Index of Volume 283

Actinide intermetallic compounds
magnetic and transport properties of NpNiSn 16
Activation
the normalized pressure dependence method for the evaluation of kinetic rates of metal hydride formation/decomposition 178
Activity
thermodynamic investigation of ternary Pt–Pd–Ge alloys by Knudsen effusion combined with mass spectrometry 208
AlB_2
experimental analysis of the intermediary phases AlB_2, AlB_{12} and TiB_2 in the Al–B and Al–Ti–B systems 192
AlB_{12}
experimental analysis of the intermediary phases AlB_2, AlB_{12} and TiB_2 in the Al–B and Al–Ti–B systems 192
Alkali metal aluminum hydrides
synthesis of Na_3AlH_6 and Na_2LiAlH_6 by mechanical alloying 304
Alloys
thermodynamic properties of Pd–Y and Pd–Gd intermetallic phases 173
Aluminium
experimental analysis of the intermediary phases AlB_2, AlB_{12} and TiB_2 in the Al–B and Al–Ti–B systems 192
Amorphous citrate route
synthesis of high surface area $LaMnO_{3+d}$ by a polymerizable complex method 102
Amorphous $Fe_{100-x}Er_x$ films
magnetic coupling in amorphous $Fe_{100-x}Er_x$ films 66
Antiferromagnetism
copper sublattice ordering in layered $CuMP_2Se_6$ (M=In, Cr) 122
Atomic cluster
hexagonal superstructures in the Zn–Mg–rare-earth alloys 169
Au L-edge
study of the electronic structure of Au–V bimetallics using X-ray photoelectron spectroscopy (XPS) and X-ray absorption near-edge structure (XANES) 5
AuV_3
study of the electronic structure of Au–V bimetallics using X-ray photoelectron spectroscopy (XPS) and X-ray absorption near-edge structure (XANES) 5
Au_2V
study of the electronic structure of Au–V bimetallics using X-ray photoelectron spectroscopy (XPS) and X-ray absorption near-edge structure (XANES) 5

B2 compounds
mechanically induced structural and magnetic property changes of GdMg 21
Ball milling
mechanically induced structural and magnetic property changes of GdMg 21
synthesis of $SrFeO_{2.5}$ from mechanically activated reactants 117
synthesis of Na_3AlH_6 and Na_2LiAlH_6 by mechanical alloying 304
Band structure
hydrogenation of Zr_6MeX_2 intermetallic compounds (Me=Fe, Co, Ni; X=Al, Ga, Sn): Crystallographic and theoretical analysis 106
Bimetallic sulfides
point defects in the bimetallic sulfides MCr_2S_4 (M=V, Fe or Mn): Comparison with $CuCrS_2$ and the corresponding monometallic sulfides 88
Bi–Sr–La–O system
electron microscopy studies of the long-range ordering in α, β and γ phases of $BiLa_xSr_{3-x}O_{5.5-\gamma}$ 139
Bi–Zn alloys
direct measurement of the concentration fluctuations in liquid Bi–Zn alloys 198
Blending
the use of metal hydrides in powder blending for the production of NdFeB-type magnets 282

Chemical bonding
XPS and magnetic measurements for perovskite-type $HoRh_3B$ 91
Chemical composition
point defects in the bimetallic sulfides MCr_2S_4 (M=V, Fe or Mn): Comparison with $CuCrS_2$ and the corresponding monometallic sulfides 88
Coercivity
microstructural evolution of $Sm(Co_{1-x}Cu_x)_5$ ($0<x<0.5$) alloys 289
Concentration fluctuations
direct measurement of the concentration fluctuations in liquid Bi–Zn alloys 198
Crystal structure
antiferromagnetic intermetallic Tb_2AgIn_3 12
crystal and magnetic structure of the binary uranium germanide U_3Ge_5 41
structure and magnetic properties of $Ce_2Co_{17-x}Al_x$ compounds 83
molten metal flux growth and characterizations of a new compound $PrRh_{4.8}B_2$ single crystals 133
crystal structure of YGe_3, $YGe_{1.9}$ and a novel Y_3Ge_4 compound 162
phase relations in the Fe-rich region of the Nd–Fe–V system at 1323 K 203
Crystallization
crystallization of sputter-deposited giant-magnetostrictive TbDyFeM (M=Mo, Zr) films and multilayers 78
$CuGa_3Se_5$
temperature dependence of the fundamental absorption edge in $CuGa_3Se_5$ 1

d^{10} cations
copper sublattice ordering in layered $CuMP_2Se_6$ (M=In, Cr) 122
Decomposition
the normalized pressure dependence method for the evaluation of kinetic rates of metal hydride formation/decomposition 178

Elsevier Science S.A.
PII: S0925-8388(98)01040-8

Diffusion
high-temperature nitridation of Nb–Ti alloys in nitrogen 241
growth of ordered lamellar precipitates during nitridation of Nb–10 at.% Ti at 1300°C 260
Dirac–Slater
discrete-variational Dirac–Slater calculation on valence band XPS for UC 128
DV–DS
discrete-variational Dirac–Slater calculation on valence band XPS for UC 128

Electron and hole effective masses
temperature dependence of the fundamental absorption edge in $CuGa_3Se_5$ 1
Electron beam
hardening response and tempering behaviour of electron beam surface melted Ti–8.5Si alloy 231
Electron microscopy
electron microscopy studies of the long-range ordering in α, β and γ phases of $BiLa_xSr_{3-x}O_{5.5-y}$ 139
Electronic structure
study of the electronic structure of Au–V bimetallics using X-ray photoelectron spectroscopy (XPS) and X-ray absorption near-edge structure (XANES) 5
EMF method
direct measurement of the concentration fluctuations in liquid Bi–Zn alloys 198
Energy gap
temperature dependence of the fundamental absorption edge in $CuGa_3Se_5$ 1
Europium
luminescence of Eu^{3+}, Tb^{3+} and Tm^{3+} in $SrLaGa_3O_7$ 95

Fe–Nb alloys
formation of a face-centered-cubic metastable phase in the Fe–Nb system by solid-state reaction 225
Ferroelectrics
copper sublattice ordering in layered $CuMP_2Se_6$ (M=In, Cr) 122
Fluorophosphate glass
Judd–Ofelt intensity parameters of trivalent lanthanide ions in a $NaPO_3$–BaF_2 based fluorophosphate glass 59
Flux growth
molten metal flux growth and characterizations of a new compound $PrRh_{4.8}B_2$ single crystals 133
Fracture
the normalized pressure dependence method for the evaluation of kinetic rates of metal hydride formation/decomposition 178
Free exciton binding energy
temperature dependence of the fundamental absorption edge in $CuGa_3Se_5$ 1

Gadolinium
thermodynamic properties of Pd–Y and Pd–Gd intermetallic phases 173
solidification behaviour of Fe–Gd–Mo alloys 265
Gallate
luminescence of Eu^{3+}, Tb^{3+} and Tm^{3+} in $SrLaGa_3O_7$ 95
Giant magnetostriction
crystallization of sputter-deposited giant-magnetostrictive TbDyFeM (M=Mo, Zr) films and multilayers 78

Hard magnetic materials
structural and magnetic properties of $Nd_2Fe_{14-x}Si_xB$ compounds and related hydrides 320
Hardening
hardening response and tempering behaviour of electron beam surface melted Ti–8.5Si alloy 231
Heat of solution
utilization of a thermogravimetric technique to determine low solubilities of gases in alloys: application to Fe–N and Ni–N alloys between 700 and 1000°C 311
Heat-treated alloy
transmission electron microscopy study of structural disorder in $Sm(Co_{0.5}Cu_{0.5})_5$ alloy 327
High-field magnetiztion studies
magnetic coupling in amorphous $Fe_{100-x}Er_x$ films 66
$HoRh_3B$
XPS and magnetic measurements for perovskite-type $HoRh_3B$ 91
HREM
hexagonal superstructures in the Zn–Mg–rare-earth alloys 169
Hydride
hydriding and dehydriding kinetics of Dy_2Co_7 hydride 146
structural and magnetic properties of $Nd_2Fe_{14-x}Si_xB$ compounds and related hydrides 320
Hybriding
thermodynamics of the Ni–H system 151
Hydrogen in metals
isotope effects of the mechanical relaxation of H and D in dilute PdY and PdGd alloys 71
Hydrogen relaxation
mechanical and magnetic relaxation of H and D in dilute PdGdFe 34
Hydrogen storage
hydrogenation of Zr_6MeX_2 intermetallic compounds (Me=Fe, Co, Ni; X=Al, Ga, Sn): Crystallographic and theoretical analysis 106
Hydrogenation
thermodynamics of the Ni–H system 151
the normalized pressure dependence method for the evaluation of kinetic rates of metal hydride formation/decomposition 178
Hydrogenation–disproportionation–desorption–recombination
influence of M=Al, Ga and Si on microstructure and HDDR-processing of $Sm_2(Fe,M)_{17}$ and magnetic properties of their nitrides and carbides 296
Hydrogenation modelling
thermodynamic analysis of the hydriding process of Mg–Ni alloys 213

Intermediary phases
experimental analysis of the intermediary phases AlB_2, AlB_{12} and TiB_2 in the Al–B and Al–Ti–B systems 192
Intermetallic boride
the defect structure of $Y_{0.915}Ni_{4.12}B$ related to the superstructure of YNi_4B 26
Intermetallic compound
hydriding and dehydriding kinetics of Dy_2Co_7 hydride 146
Intermetallic compounds
the magnetocrystalline anisotropy in $YTi(Fe,Co)_{11}$ single crystals 45
hydrogenation of Zr_6MeX_2 intermetallic compounds (Me=Fe, Co, Ni; X=Al, Ga, Sn): Crystallographic and theoretical analysis 106
Intermetallic phases
hexagonal superstructures in the Zn–Mg–rare-earth alloys 169
thermodynamic properties of Pd–Y and Pd–Gd intermetallic phases 173
Internal friction
mechanical and magnetic relaxation of H and D in dilute PdGdFe 34
isotope effects of the mechanical relaxation of H and D in dilute PdY and PdGd alloys 71
Internal nitridation
high-temperature nitridation of Nb–Ti alloys in nitrogen 241

Interstitial elements
structural and magnetic properties of $Nd_2Fe_{14-x}Si_xB$ compounds and related hydrides 320
Intrinsic coercivity
magnetic properties of nanostructured $Nd_2(Fe,Co,Cr)_{14}B/\alpha$-Fe magnets 307
Iron
solidification behaviour of Fe–Gd–Mo alloys 265
utilization of a thermogravimetric technique to determine low solubilities of gases in alloys: application to Fe–N and Ni–N alloys between 700 and 1000°C 311
Isotope effects
isotope effects of the mechanical relaxation of H and D in dilute PdY and PdGd alloys 71

Judd–Ofelt
Judd–Ofelt intensity parameters of trivalent lanthanide ions in a $NaPO_3$–BaF_2 based fluorophosphate glass 59

Kinetics
hydriding and dehydriding kinetics of Dy_2Co_7 hydride 146
high-temperature nitridation of Nb–Ti alloys in nitrogen 241
growth of ordered lamellar precipitates during nitridation of Nb–10 at.% Ti at 1300°C 260
Knudsen effusion
thermodynamic investigation of ternary Pt–Pd–Ge alloys by Knudsen effusion combined with mass spectrometry 208

Lanthanides
Judd–Ofelt intensity parameters of trivalent lanthanide ions in a $NaPO_3$–BaF_2 based fluorophosphate glass 59
$LaMnO_{3+d}$
synthesis of high surface area $LaMnO_{3+d}$ by a polymerizable complex method 102
Layer growth
high-temperature nitridation of Nb–Ti alloys in nitrogen 241
Layered materials
copper sublattice ordering in layered $CuMP_2Se_6$ (M=In, Cr) 122
Liquid alloys
direct measurement of the concentration fluctuations in liquid Bi–Zn alloys 198
Liquidus projection
solidification behaviour of Fe–Gd–Mo alloys 265
Long-range ordering
electron microscopy studies of the long-range ordering in α, β and γ phases of $BiLa_xSr_{3-x}O_{5.5-y}$ 139
Luminescence
luminescence of Eu^{3+}, Tb^{3+} and Tm^{3+} in $SrLaGa_3O_7$ 95

Magnetic after-effect
mechanical and magnetic relaxation of H and D in dilute PdGdFe 34
Magnetic anisotropy
structure and magnetic properties of $Ce_2Co_{17-x}Al_x$ compounds 83
Magnetic anisotropy constant
the magnetocrystalline anisotropy in $YTi(Fe,Co)_{11}$ single crystals 45
Magnetic properties
magnetic and transport properties of NpNiSn 16
mechanically induced structural and magnetic property changes of GdMg 21
crystal and magnetic structure of the binary uranium germanide U_3Ge_5 41
phase equilibria and magnetic studies in the ternary system U–Ag–Sn 49
high rare earth sublattice ordering temperatures in new CeFeSi-type RTiGe (R=La–Nd, Sm) compounds 54
structure and magnetic properties of $Ce_2Co_{17-x}Al_x$ compounds 83
Magnetic properties
influence of M=Al, Ga and Si on microstructure and HDDR-processing of $Sm_2(Fe,M)_{17}$ and magnetic properties of their nitrides and carbides 296
Magnetic property
molten metal flux growth and characterizations of a new compound $PrRh_{4.8}B_2$ single crystals 133
Magnetic structure
antiferromagnetic intermetallic Tb_2AgIn_3 12
crystal and magnetic structure of the binary uranium germanide U_3Ge_5 41
Magnetic susceptibility
antiferromagnetic intermetallic Tb_2AgIn_3 12
Mass spectrometry
thermodynamic investigation of ternary Pt–Pd–Ge alloys by Knudsen effusion combined with mass spectrometry 208
Mean field theory
magnetic coupling in amorphous $Fe_{100-x}Er_x$ films 66
Metal hydrides
the use of metal hydrides in powder blending for the production of NdFeB-type magnets 282
Metastable phase
formation of a face-centered-cubic metastable phase in the Fe–Nb system by solid-state reaction 225
synthesis of Na_3AlH_6 and Na_2LiAlH_6 by mechanical alloying 304
Mg–Ni alloys
thermodynamic analysis of the hydriding process of Mg–Ni alloys 213
Microhardness
molten metal flux growth and characterizations of a new compound $PrRh_{4.8}B_2$ single crystals 133
Microstructure
high-temperature nitridation of Nb–Ti alloys in nitrogen 241
growth of ordered lamellar precipitates during nitridation of Nb–10 at.% Ti at 1300°C 260
microstructural evolution of $Sm(Co_{1-x}Cu_x)_5$ ($0<x<0.5$) alloys 289
influence of M=Al, Ga and Si on microstructure and HDDR-processing of $Sm_2(Fe,M)_{17}$ and magnetic properties of their nitrides and carbides 296
Mixed oxygen conductor
synthesis of $SrFeO_{2.5}$ from mechanically activated reactants 117
Modeling
thermodynamics of the Ni–H system 151
Molybdenum
solidification behaviour of Fe–Gd–Mo alloys 265
Monometallic sulfides
point defects in the bimetallic sulfides MCr_2S_4 (M=V, Fe or Mn): Comparison with $CuCrS_2$ and the corresponding monometallic sulfides 88
Mössbauer spectroscopy
magnetic and transport properties of NpNiSn 16
Multilayered films
formation of a face-centered-cubic metastable phase in the Fe–Nb system by solid-state reaction 225
Multilayers
crystallization of sputter-deposited giant-magnetostrictive TbDyFeM (M=Mo, Zr) films and multilayers 78

Nanocrystalline alloys
crystallization of sputter-deposited giant-magnetostrictive TbDyFeM (M=Mo, Zr) films and multilayers 78
Nanocrystalline phase
synthesis of Na_3AlH_6 and Na_2LiAlH_6 by mechanical alloying 304
Nanostructured magnets
magnetic properties of nanostructured $Nd_2(Fe,Co,Cr)_{14}B/\alpha$-Fe magnets 307

NdFeB magnets
the use of metal hydrides in powder blending for the production of NdFeB-type magnets 282
$Nd_2Fe_{14}B$
structural and magnetic properties of $Nd_2Fe_{14-x}Si_xB$ compounds and related hydrides 320
$Nd_2(Fe,Co,Cr)_{14}B/\alpha$-Fe
magnetic properties of nanostructured $Nd_2(Fe,Co,Cr)_{14}B/\alpha$-Fe magnets 307
Nd–Fe–V compounds
phase relations in the Fe-rich region of the Nd–Fe–V system at 1323 K 203
Neutron powder diffraction
antiferromagnetic intermetallic Tb_2AgIn_3 12
Nickel
utilization of a thermogravimetric technique to determine low solubilities of gases in alloys: application to Fe–N and Ni–N alloys between 700 and 1000°C 311
Nitridation
high-temperature nitridation of Nb–Ti alloys in nitrogen 241
growth of ordered lamellar precipitates during nitridation of Nb–10 at.% Ti at 1300°C 260
Nitrides
growth of ordered lamellar precipitates during nitridation of Nb–10 at.% Ti at 1300°C 260
Nitrogen
utilization of a thermogravimetric technique to determine low solubilities of gases in alloys: application to Fe–N and Ni–N alloys between 700 and 1000°C 311
Nonstoichiometric oxide
synthesis of $SrFeO_{2.5}$ from mechanically activated reactants 117

Optical properties
temperature dependence of the fundamental absorption edge in $CuGa_3Se_5$ 1
Ordered vacancy compound
temperature dependence of the fundamental absorption edge in $CuGa_3Se_5$ 1

Palladium
thermodynamic properties of Pd–Y and Pd–Gd intermetallic phases 173
Palladium–rare earth alloys
mechanical and magnetic relaxation of H and D in dilute PdGdFe 34
isotope effects of the mechanical relaxation of H and D in dilute PdY and PdGd alloys 71
Permanent magnets
microstructural evolution of $Sm(Co_{1-x}Cu_x)_5$ ($0<x<0.5$) alloys 289
Perovskite-type compound
XPS and magnetic measurements for perovskite-type $HoRh_3B$ 91
Phase diagram
phase equilibria and magnetic studies in the ternary system U–Ag–Sn 49
thermodynamics of the Ni–H system 151
Phase diagram calculations
thermodynamic analysis of the hydriding process of Mg–Ni alloys 213
Phase equilibria
phase relations in the Fe-rich region of the Nd–Fe–V system at 1323 K 203
Point defects
point defects in the bimetallic sulfides MCr_2S_4 (M=V, Fe or Mn): Comparison with $CuCrS_2$ and the corresponding monometallic sulfides 88
Polymer complex precursor
synthesis of high surface area $LaMnO_{3+d}$ by a polymerizable complex method 102
Powder
the use of metal hydrides in powder blending for the production of NdFeB-type magnets 282
Precipitates
microstructural evolution of $Sm(Co_{1-x}Cu_x)_5$ ($0<x<0.5$) alloys 289
$PrRh_{4.8}B_2$
molten metal flux growth and characterizations of a new compound $PrRh_{4.8}B_2$ single crystals 133
Pt–Pd–Ge alloys
thermodynamic investigation of ternary Pt–Pd–Ge alloys by Knudsen effusion combined with mass spectrometry 208

Rare Earth
hydriding and dehydriding kinetics of Dy_2Co_7 hydride 146
Rare earth cobalt aluminides
structure and magnetic properties of $Ce_2Co_{17-x}Al_x$ compounds 83
Rare earth titanium germanides
high rare earth sublattice ordering temperatures in new CeFeSi-type RTiGe (R=La–Nd, Sm) compounds 54
Rate equation
the normalized pressure dependence method for the evaluation of kinetic rates of metal hydride formation/decomposition 178
Remanent magnetic polarization
magnetic properties of nanostructured $Nd_2(Fe,Co,Cr)_{14}B/\alpha$-Fe magnets 307

Selenodiphosphates
copper sublattice ordering in layered $CuMP_2Se_6$ (M=In, Cr) 122
Single crystal
the magnetocrystalline anisotropy in $YTi(Fe,Co)_{11}$ single crystals 45
Sm–Co alloys
microstructural evolution of $Sm(Co_{1-x}Cu_x)_5$ ($0<x<0.5$) alloys 289
$Sm_2(Fe,M)_{17}$
influence of M=Al, Ga and Si on microstructure and HDDR-processing of $Sm_2(Fe,M)_{17}$ and magnetic properties of their nitrides and carbides 296
Solid solubilities
phase relations in the Fe-rich region of the Nd–Fe–V system at 1323 K 203
Solid solution range
XPS and magnetic measurements for perovskite-type $HoRh_3B$ 91
Solid state electrolyte
synthesis of $SrFeO_{2.5}$ from mechanically activated reactants 117
Solid-state reaction
formation of a face-centered-cubic metastable phase in the Fe–Nb system by solid-state reaction 225
Solubility
utilization of a thermogravimetric technique to determine low solubilities of gases in alloys: application to Fe–N and Ni–N alloys between 700 and 1000°C 311
Spectroscopic properties
Judd–Ofelt intensity parameters of trivalent lanthanide ions in a $NaPO_3$–BaF_2 based fluorophosphate glass 59
Spin reorientation
structural and magnetic properties of $Nd_2Fe_{14-x}Si_xB$ compounds and related hydrides 320
$SrFeO_x$
synthesis of $SrFeO_{2.5}$ from mechanically activated reactants 117
Stability
thermodynamic properties of Pd–Y and Pd–Gd intermetallic phases 173

Structural disorder
transmission electron microscopy study of structural disorder in $Sm(Co_{0.5}Cu_{0.5})_5$ alloy 327
Structure refinement
the defect structure of $Y_{0.915}Ni_{4.12}B$ related to the superstructure of YNi_4B 26
Superstructure
the defect structure of $Y_{0.915}Ni_{4.12}B$ related to the superstructure of YNi_4B 26
hexagonal superstructures in the Zn–Mg–rare-earth alloys 169
Surface melting
hardening response and tempering behaviour of electron beam surface melted Ti–8.5Si alloy 231
Synthesis
high rare earth sublattice ordering temperatures in new CeFeSi-type RTiGe (R≡La–Nd, Sm) compounds 54

TbDyFe
crystallization of sputter-deposited giant-magnetostrictive TbDyFeM (M=Mo, Zr) films and multilayers 78
Temperability
hardening response and tempering behaviour of electron beam surface melted Ti–8.5Si alloy 231
Terbium
luminescence of Eu^{3+}, Tb^{3+} and Tm^{3+} in $SrLaGa_3O_7$ 95
Ternary neodymium compounds
phase relations in the Fe-rich region of the Nd–Fe–V system at 1323 K 203
Ternary systems
solidification behaviour of Fe–Gd–Mo alloys 265
TG–DTA
molten metal flux growth and characterizations of a new compound $PrRh_{4.8}B_2$ single crystals 133
Thermal expansion
the defect structure of $Y_{0.915}Ni_{4.12}B$ related to the superstructure of YNi_4B 26
Thermodynamics
thermodynamics of the Ni–H system 151
Thermogravimetry
utilization of a thermogravimetric technique to determine low solubilities of gases in alloys: application to Fe–N and Ni–N alloys between 700 and 1000°C 311
Thulium
luminescence of Eu^{3+}, Tb^{3+} and Tm^{3+} in $SrLaGa_3O_7$ 95
TiB_2
experimental analysis of the intermediary phases AlB_2, AlB_{12} and TiB_2 in the Al–B and Al–Ti–B systems 192
Ti–Si alloy
hardening response and tempering behaviour of electron beam surface melted Ti–8.5Si alloy 231
Transmission electron microscopy
transmission electron microscopy study of structural disorder in $Sm(Co_{0.5}Cu_{0.5})_5$ alloy 327

UC
discrete-variational Dirac–Slater calculation on valence band XPS for UC 128
Uranium germanides
crystal and magnetic structure of the binary uranium germanide U_3Ge_5 41
Uranium intermetallics
phase equilibria and magnetic studies in the ternary system U–Ag–Sn 49
Uranium monocarbide
discrete-variational Dirac–Slater calculation on valence band XPS for UC 128

XPS
study of the electronic structure of Au–V bimetallics using X-ray photoelectron spectroscopy (XPS) and X-ray absorption near-edge structure (XANES) 5
XPS and magnetic measurements for perovskite-type $HoRh_3B$ 91
discrete-variational Dirac–Slater calculation on valence band XPS for UC 128
X-ray absorption near-edge structure
study of the electronic structure of Au–V bimetallics using X-ray photoelectron spectroscopy (XPS) and X-ray absorption near-edge structure (XANES) 5
X-ray crystallography
hydrogenation of Zr_6MeX_2 intermetallic compounds (Me=Fe, Co, Ni; X=Al, Ga, Sn): Crystallographic and theoretical analysis 106
X-ray powder diffraction
crystal structure of YGe_3, $YGe_{1.9}$ and a novel Y_3Ge_4 compound 162

Y–Ge system
crystal structure of YGe_3, $YGe_{1.9}$ and a novel Y_3Ge_4 compound 162
Yttrium
thermodynamic properties of Pd–Y and Pd–Gd intermetallic phases 173

Zn–Mg–rare-earth alloys
hexagonal superstructures in the Zn–Mg–rare-earth alloys 169